



# 2020 RX FRAME PARAMETERS AND MEASUREMENTS

**WILEY X RX Department**  
7800 Patterson Pass Rd.  
Livermore, CA 94550  
Phone: (888) 210-8926  
Fax: (925) 583-2970

Frame And Series Name	Power Range (Power Range = Sph+Cyl) Cyl must be (-) Max Cyl (+) or (-4)	Single Vision Minimum PD	Biocal FT28** (ADD 1.00 to 3.50) (Seg. Ht. 10 to 20) MINIMUM "NEAR" PD	PROGRESSIVE (ADD 1.00 to 3.50) (Seg. Ht. 16 to 26) MINIMUM PD	ADD POWER RANGE <small>(Please calculate ADD POWER for Digital Progressives)</small>	A	B	DBL	TEMPLE	ED
<b>CLIMATE CONTROL SERIES</b>										
<b>AIRRAGE</b>										
DIGIFORCE™	-4.00 to +4.00	56	N/A	60	0.75 to 3.50	61	37	18	124	62
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	56	N/A	60	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	58	60	62	1.00 to 3.00					
<b>WX BOSS</b>										
DIGIFORCE™	-4.00 to +4.00	60	N/A	64	0.75 to 3.50	68	42	18	125	71
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	60	N/A	64	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	66	74	70	1.00 to 3.00					
<b>WX BOSS RIM</b>										
DIGIFORCE™	-4.00 to +3.00	56	N/A	58	0.75 to 3.50	59	36	23	125	63
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	58	N/A	62	0.75 to 3.50					
<b>WX BREACH</b>										
DIGIFORCE™	-4.00 to +4.00	56	N/A	58	0.75 to 3.50	63	40	15	115	67
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	56	N/A	58	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	58	64	60	1.00 to 3.00					
<b>BRICK</b>										
DIGIFORCE™	-4.00 to +4.00	56	N/A	58	0.75 to 3.50	63	39	18	120	65
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	56	N/A	58	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	58	64	60	1.00 to 3.00					
<b>WX ENZO</b>										
DIGIFORCE™	-4.00 to +4.00	56	N/A	60	0.75 to 3.50	64	41	15	125	64
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	56	N/A	60	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	58	64	62	1.00 to 3.00					
<b>WX ENZO RIM</b>										
DIGIFORCE™	-4.00 to +3.00	58	N/A	60	0.75 to 3.50	55	34	21	125	58
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	58	N/A	60	0.75 to 3.50					
<b>WX GRAVITY</b>										
DIGIFORCE™	-4.00 to +4.00	56	N/A	62	0.75 to 3.50	63	40	17	119	63
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	56	N/A	62	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	58	65	64	1.00 to 3.00					
<b>WX GRAVITY RIM</b>										
DIGIFORCE™	-4.00 to +3.00	58	N/A	60	0.75 to 3.50	55	34	20	119	55
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	58	N/A	60	0.75 to 3.50					
<b>WX SLEEK</b>										
DIGIFORCE™	-4.00 to +4.00	56	N/A	60	0.75 to 3.50	60	37	14	121	63
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	56	N/A	60	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	58	58	62	1.00 to 3.00					
<b>WX TIDE</b>										
DIGIFORCE™	-4.00 to +4.00	60	N/A	64	0.75 to 3.50	67	37	18	125	69
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	60	N/A	64	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	65	72	70	1.00 to 3.00					
<b>WX WAVE</b>										
DIGIFORCE™	-4.00 to +4.00	58	N/A	60	0.75 to 3.50	64	38	18	125	67
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	58	N/A	60	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	62	68	64	1.00 to 3.00					

Frame And Series Name	Power Range (Power Range = Sph+Cyl) Cyl must be (-) Max Cyl (+) or (-4)	Single Vision Minimum PD	Biocal FT28** (ADD 1.00 to 3.50) (Seg. Ht. 10 to 20) MINIMUM 'NEAR' PD	PROGRESSIVE (ADD 1.00 to 3.50) (Seg. Ht. 16 to 26) MINIMUM PD	ADD POWER RANGE (Please calculate ADD POWER for Digital Progressives)	A	B	DBL	TEMPLE	ED
<b>ACTIVE LIFESTYLE SERIES</b>										
<b>WX AFFINITY</b>										
DIGIFORCE™	-4.00 to +4.00	56	N/A	58	0.75 to 3.50	61	44	14	125	66
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	56	N/A	58	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	60	64	62	1.00 to 3.00					
<b>WX ASPECT</b>										
DIGIFORCE™	-4.00 to +4.00	56	N/A	58	0.75 to 3.50	60	42	18	130	63
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	56	N/A	58	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	60	64	62	1.00 to 3.00					
<b>WX CENSOR</b>										
DIGIFORCE™	-4.00 to +4.00	56	N/A	60	0.75 to 3.50	61	37	16	119	61
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	56	N/A	60	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	58	60	60	1.00 to 3.00					
<b>WX CONTEND</b>										
DIGIFORCE™	-4.00 to +4.00	56	N/A	58	0.75 to 3.50	63	40	17	130	63
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	56	N/A	58	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	58	64	60	1.00 to 3.00					
<b>WX GLORY</b>										
DIGIFORCE™	-4.00 to +4.00	56	N/A	58	0.75 to 3.50	63	42	15	125	66
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	56	N/A	58	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	58	64	60	1.00 to 3.00					
<b>WX HAYDEN</b>										
DIGIFORCE™ EDGE THINNING	-3.00 to +3.00	62	N/A	66	0.75 to 3.00	66	44	13	130	71
<b>WX IGNITE</b>										
DIGIFORCE™	-4.00 to +4.00	56	N/A	62	0.75 to 3.50	65	39	18	125	66
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	56	N/A	62	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	62	65	66	1.00 to 3.00					
<b>WX KINGPIN</b>										
DIGIFORCE™	-4.00 to +4.00	56	N/A	58	0.75 to 3.50	60	40	19	122	63
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	56	N/A	58	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	60	64	62	1.00 to 3.00					
<b>WX KLEIN</b>										
DIGIFORCE™ EDGE THINNING	-3.00 to +3.00	62	N/A	66	0.75 to 3.00	67	47	13	130	71
<b>WX KOBE</b>										
DIGIFORCE™	-4.00 to +4.00	56	N/A	60	0.75 to 3.50	60	41	18	118	66
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	56	N/A	60	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	58	64	62	1.00 to 3.00					
<b>WX MYSTIQUE</b>										
DIGIFORCE™	-4.00 to +4.00	60	N/A	64	0.75 to 3.50	64	41	15	125	68
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	60	N/A	64	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	66	74	70	1.00 to 3.00					
<b>WX NASH</b>										
DIGIFORCE™	-4.00 to +4.00	56	N/A	60	0.75 to 3.50	64	41	15	125	68
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	56	N/A	60	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	60	68	64	1.00 to 3.00					
<b>WX OMEGA</b>										
DIGIFORCE™	-4.00 to +4.00	60	N/A	64	0.75 to 3.50	66	42	17	125	70
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	60	N/A	64	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	66	72	70	1.00 to 3.00					

Frame And Series Name	Power Range (Power Range = Sph+Cyl) Cyl must be (-) Max Cyl (+) or (-4)	Single Vision Minimum PD	Biocal FT28** (ADD 1.00 to 3.50) (Seg. Ht. 10 to 20) MINIMUM "NEAR" PD	PROGRESSIVE (ADD 1.00 to 3.50) (Seg. Ht. 16 to 26) MINIMUM PD	ADD POWER RANGE (Please calculate ADD POWER for Digital Progressives)	A	B	DBL	TEMPLE	ED
<b>ACTIVE LIFESTYLE SERIES CONTINUED</b>										
<b>P-17</b>										
DIGIFORCE™	-4.00 to +4.00	56	N/A	58	0.75 to 3.50	61	36	18	120	63
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	56	N/A	58	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	60	64	62	1.00 to 3.00					
<b>PEAK</b>										
DIGIFORCE™	-4.00 to +4.00	58	N/A	62	0.75 to 3.50	65	40	15	130	67
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	58	N/A	62	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	62	68	65	1.00 to 3.00					
<b>WX REBEL</b>										
DIGIFORCE™	-4.00 to +4.00	60	N/A	62	0.75 to 3.50	65	40	18	124	68
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	60	N/A	62	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	62	72	66	1.00 to 3.00					
<b>SLAY</b>										
DIGIFORCE™	-4.00 to +4.00	60	N/A	64	0.75 to 3.50	65	37	16	120	68
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	60	N/A	64	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	64	68	68	1.00 to 3.00					
<b>WX TWISTED</b>										
DIGIFORCE™	-4.00 to +4.00	60	N/A	62	0.75 to 3.50	65	39	17	125	67
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	60	N/A	62	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	62	72	65	1.00 to 3.00					
<b>WX WEEKENDER</b>										
DIGIFORCE™	-4.00 to +4.00	56	N/A	58	0.75 to 3.50	65	39	17	125	67
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	56	N/A	58	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	60	64	62	1.00 to 3.00					
<b>WX VALLUS</b>										
DIGIFORCE™	-4.00 to +4.00	58	N/A	60	0.75 to 3.50	63	42	15	128	66
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	58	N/A	60	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	60	64	62	1.00 to 3.00					
<b>CHANGEABLE SERIES</b>										
<b>WX SAINT (RX LENSES ARE NOT INTERCHANGABLE)</b>										
DIGIFORCE™	-3.00 to +2.00	62	N/A	N/A	N/A	68	40	16	114	74
DIGIFORCE™ EDGE THINNING	-5.00 to +3.00	62	N/A	64	0.75 to 3.00					
<b>WX VALOR (RX LENSES ARE NOT INTERCHANGABLE)</b>										
DIGIFORCE™	-3.00 to +2.00	62	N/A	N/A	N/A	70	38	18	120	70
DIGIFORCE™ EDGE THINNING	-5.00 to +3.00	62	N/A	64	0.75 to 3.00					
<b>XL- 1 ADVANCED (RX LENSES ARE NOT INTERCHANGABLE)</b>										
DIGIFORCE™	-4.00 to +3.00	56	N/A	58	0.75 to 3.50	62	39	17	122	62
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	56	N/A	58	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	58	62	64	1.00 to 3.00					
<b>SABER ADVANCED INSERT (PTX)</b>										
DIGIFORCE™	-8.00 to +6.00	56	N/A	56	0.75 to 3.50	44	31	25	-	44
CONVENTIONAL	-8.00 to +5.00	56	56	56	1.00 to 3.00					
<b>ROMER 3 (RX LENSES ARE NOT INTERCHANGABLE)</b>										
DIGIFORCE™	-4.00 to +3.00	56	N/A	60	0.75 to 3.50	63	38	19	128	62
DIGIFORCE™ EDGE THINNING	-7.00 to +5.00	56	N/A	60	0.75 to 3.50					
CONVENTIONAL	-3.00 to +2.00	58	66	62	1.00 to 3.00					
<b>WX ROGUE (PTX)</b>										
DIGIFORCE™	-8.00 to +6.00	56	N/A	56	1.00 to 3.50	44	31	25	-	44
CONVENTIONAL	-8.00 to +5.00	56	56	56	1.00 to 3.00					
<b>WX VAPOR INSERT (PTX) -W/ADJUSTABLE NOSE PIECE</b>										
DIGIFORCE™	-8.00 to +6.00	56	N/A	56	N/A	44	31	25	-	44
CONVENTIONAL	-8.00 to +5.00	56	56	56	1.00 to 3.00					

Frame And Series Name	Power Range (Power Range = Sph+Cyl) Cyl must be (-) Max Cyl (+) or (-4)	Single Vision Minimum PD	Biocal FT28** (ADD 1.00 to 3.50) (Seg. Ht. 10 to 20) MINIMUM "NEAR" PD	PROGRESSIVE (ADD 1.00 to 3.50) (Seg. Ht. 16 to 26) MINIMUM PD	ADD POWER RANGE (Please calculate ADD POWER for Digital Progressives)	A	B	DBL	TEMPLE	ED
-----------------------	--	-----------------------------	---	--	---	---	---	-----	--------	----

### WORKSIGHT SERIES

<b>EPIC (Rx's exceeding total combined power +/- 4.00 will incur an out of range fee)</b>										
PERFORMANCE	-7.00 to +5.00	55	54	55	0.75 to 3.50	55	38	17	145	61
<b>CONTOUR (Rx's exceeding total combined power +/- 4.00 will incur an out of range fee)</b>										
PERFORMANCE	-10.00 to +5.00	52	54	54	0.75 to 3.50	54	36	17	140	54
<b>PROFILE (Rx's exceeding total combined power +/- 4.00 will incur an out of range fee)</b>										
PERFORMANCE	-10.00 to +5.00	52	54	54	0.75 to 3.50	54	36	17	140	55
<b>FUSION (Rx's exceeding total combined power +/- 4.00 will incur an out of range fee)</b>										
PERFORMANCE	-7.00 to +4.00	52	54	54	0.75 to 3.50	53	32	16	140	57
<b>AXIS (Rx's exceeding total combined power +/- 4.00 will incur an out of range fee)</b>										
PERFORMANCE	-7.00 to +4.00	55	54	55	0.75 to 3.50	58	35	16	140	62
<b>SERENITY (Rx's exceeding total combined power +/- 4.00 will incur an out of range fee)</b>										
PERFORMANCE	-10.00 to +5.00	52	54	54	0.75 to 3.50	53	38	16	145	57
<b>VIRTUE (Rx's exceeding total combined power +/- 4.00 will incur an out of range fee)</b>										
PERFORMANCE	-10.00 to +5.00	52	54	54	0.75 to 3.50	53	33	16	140	57
<b>JUDGE (Rx's exceeding total combined power +/- 4.00 will incur an out of range fee)</b>										
PERFORMANCE	-10.00 to +5.00	52	54	54	0.75 to 3.50	55	38	18	150	59

### YOUTH FORCE SPORT SERIES (ASTM)

<b>FLASH (Rx's exceeding total combined power +/- 4.00 will incur an out of range fee)</b>										
PERFORMANCE	-10.00 to +7.00	52	56	55	0.75 to 3.50	48	34	17	125	52
<b>VICTORY (Rx's exceeding total combined power +/- 4.00 will incur an out of range fee)</b>										
PERFORMANCE	-10.00 to +7.00	52	56	55	0.75 to 3.50	52	34	18	125	54
<b>FIERCE (Rx's exceeding total combined power +/- 4.00 will incur an out of range fee)</b>										
PERFORMANCE	-10.00 to +7.00	52	56	55	0.75 to 3.50	52	36	18	135	55
<b>CRUSH (Rx's exceeding total combined power +/- 4.00 will incur an out of range fee)</b>										
PERFORMANCE	-10.00 to +7.00	52	56	55	0.75 to 3.50	52	39	18	130	54
<b>GAMER (Rx's exceeding total combined power +/- 4.00 will incur an out of range fee)</b>										
PERFORMANCE	-10.00 to +7.00	52	56	55	0.75 to 3.50	57	36	18	135	59

### YOUTH FORCE EYEGLASS SERIES (ANSI)

<b>BOUNCE</b>										
PERFORMANCE	-10.00 to +7.00	52	56	55	0.75 to 3.50	48	32	16	135	49
<b>FLIP</b>										
PERFORMANCE	-10.00 to +7.00	52	56	55	0.75 to 3.50	48	28	16	135	49
<b>LEAP</b>										
PERFORMANCE	-10.00 to +7.00	52	56	55	0.75 to 3.50	51	35	16	135	51
<b>SPLIT</b>										
PERFORMANCE	-10.00 to +7.00	52	56	55	0.75 to 3.50	46	30	16	130	47

### GOGGLES

<b>SG-1</b>										
DIGIFORCE™	-5.00 to +4.00	56	N/A	62	0.75 to 3.50	60	36	24	130	62
CONVENTIONAL	-4.00 to +3.00	58	64	62	1.00 to 3.00					
<b>SPEAR INSERT (PTX W/Post)</b>										
DIGIFORCE™	-8.00 to +6.00	56	N/A	56	0.75 to 3.50	44	31	25	-	44
CONVENTIONAL	-8.00 to +5.00	56	56	56	1.00 to 3.00					
<b>PROPULSION (SWIM GOGGLE)</b>										
PERFORMANCE	-6.00 to +4.00	55	-	-	-	-	-	-	-	-