



# SafeVision

BY HOYA



2026

## Prescription Safety Frame Group Guide

*All frames listed in this guide have been tested to and meet the current ANSI Z87.1 standards.*

**PENTAX** WILEY X  SafeVision



## 2026 Prescription Safety Frame Group Guide

### Group A

**Non-Conductive** **Tight Fitting**

**A2000**  
PENTAX

Smoke



**Size** 54-17-122 | 58-17-122  
**Color** Smoke  
**Temple** Standard  
**Side Shields** Integrated

**Size** 54 58  
**A** 54 58  
**B** 32 34  
**ED** 55 57

**Non-Conductive** **Tight Fitting**

**A2500**  
PENTAX

Black/Gray



**Size** 55-19-131 | 58-20-131  
**Color** Black/Gray  
**Temple** Standard  
**Side Shields** Integrated

**Size** 55 58  
**A** 55 58  
**B** 36 37  
**ED** 58 61

**Non-Conductive** **Tight Fitting**

**EAGLE**  
PENTAX

Smoke



**Size** 53-13-adj | 56-11-adj | 59-13-adj  
**Color** Smoke  
**Temple** Adjustable  
**Side Shields** Integrated

**Size** 53 56 59  
**A** 56 58 62  
**B** 41 42 45  
**ED** 57 58 62

Smoke w. Breeze Catcher Side Shields

**F6000**  
PENTAX



Standard

**Size** 50-13-140 | 53-15-140 | 55-15-145  
**Color** Gray Fade  
**Temple** Standard | Cable 170mm  
**Side Shields** Standard | Breeze Catcher

**Size** 50 53 55  
**A** 50 53 57  
**B** 44 45 50  
**ED** 57 60 62

Smoke w. Breeze Catcher Side Shields

**F9800**  
PENTAX



Perforated Full-Cup

Standard

**Size** 46-20-145 | 48-20-145  
**Color** Smoke  
**Temple** Standard | Cable 170mm  
**Side Shields** Standard | Breeze Catcher | Perforated Full-Cup

**Size** 46 48  
**A** 46 48  
**B** 39 41  
**ED** 49 52

Smoke w. Perforated Full-Cup Side Shields

**F9900**  
PENTAX



Perforated Full-Cup

Standard

**Size** 50-22-145 | 52-22-145  
**Color** Smoke  
**Temple** Standard | Cable 170mm  
**Side Shields** Standard | Breeze Catcher | Perforated Full-Cup

**Size** 50 52  
**A** 50 52  
**B** 42 45  
**ED** 54 56

Carbon Fiber / Clear

**GUARDIAN**  
SafeVision



**Includes removable foam dust bar**  
**Size** 58-17-118  
**Color** Carbon Fiber / Clear  
**Temple** Standard  
**Side Shields** Integrated

**Size** 58  
**A** 58  
**B** 38  
**ED** 60

**Non-Conductive**

These frames are non-conductive by design (no metal parts) OR they have passed a modified ASTM D149-09 test for dielectric strength and did not conduct electricity up to 1,000 volts for 60 seconds.

**Tight Fitting**

These frames are designed to wrap around the face and/or include a seal/gasket to help the frame fit closer to wearer's face.

All frames listed in this guide have been tested to and meet the current ANSI Z87.1 standards. (Rx Ready & Impact Resistant)



## 2026 Prescription Safety Frame Group Guide

### Group B

*Gray*

**ALPHA-SV**  
SafeVision

*Matte Black*      *Black/Blue*      *Demi Purple*

**Size** 56-17-128  
**Color** Matte Black | Black/Blue | Gray | Demi Purple  
**Temple** Standard  
**Side Shields** Standard

**Size** 56  
**A** 56  
**B** 35  
**ED** 58

*Tortoise*

**CARRIER**  
SafeVision

*Purple*

**Size** 55-17-125  
**Color** Tortoise | Purple  
**Temple** Standard  
**Side Shields** Integrated

**Size** 56  
**A** 56  
**B** 36  
**ED** 58

*Dark Brown Stripe*

**DELTA**  
SafeVision

*Black/Clear*      *Tortoise/Orange*

**Size** 54-18-135  
**Color** Black/Clear | Dark Brown Stripe | Tortoise/Orange  
**Temple** Standard  
**Side Shields** Standard

**Size** 54  
**A** 54  
**B** 36  
**ED** 57

*Tortoise to Black*

**ECHO**  
SafeVision

*Matte Black*      *Espresso Brown*

**Size** 54-20-139  
**Color** Matte Black | Tortoise to Black | Espresso Brown  
**Temple** Standard  
**Side Shields** Integrated

**Size** 54  
**A** 54  
**B** 38  
**ED** 55

*Brown*

**FOXTROT**  
SafeVision

*Gray*

**Size** 56-20-140  
**Color** Brown | Gray  
**Temple** Standard  
**Side Shields** Integrated

**Size** 54  
**A** 54  
**B** 36  
**ED** 57

*Blue*

**SIDEWINDER**  
SafeVision

*Tortoise*      *Brown Stripe*

**Size** 57-18-138  
**Color** Blue | Tortoise | Brown Stripe  
**Temple** Standard  
**Side Shields** Integrated

**Size** 57  
**A** 57  
**B** 37  
**ED** 59

**Tight Fitting**

*Copper/Clear*

**UVERSE**  
SafeVision

*Black/Clear*      *Wine/Clear*

**Size** 54-18-131  
**Color** Black/Clear | Wine/Clear | Copper/Clear  
**Temple** Standard  
**Side Shields** Integrated

**Size** 54  
**A** 54  
**B** 35  
**ED** 56

**Non-Conductive**      **Tight Fitting**

*Blue/Gray*

**ZT100**  
**PENTAX**

*Black*      *Gray/Red*

**Size** 53-15-adj | 57-15-adj | 62-15-adj  
**Color** Black | Blue/Gray | Gray/Red  
**Temple** Adjustable  
**Side Shields** Integrated

**Size** 53    57    62  
**A** 53    57    62  
**B** 35    36    36  
**ED** 54    58    63



## 2026 Prescription Safety Frame Group Guide

### Group C



**Size** 48-16-140 | 50-16-145  
**Color** Brown Marble | Gray Marble  
**Temple** Spring Hinge  
**Side Shields** Standard

**Size** 48 50  
**A** 47 50  
**B** 30 31  
**ED** 47 50



**Size** 49-20-130 | 51-20-135  
**Color** Brown | Gunmetal  
**Temple** Standard  
**Side Shields** Standard

**Size** 49 51  
**A** 49 51  
**B** 32 35  
**ED** 50 52



**Size** 56-18-140 | 58-18-145 | 60-18-145  
**Color** Gunmetal | Black | Gold  
**Temple** Standard  
**Side Shields** Standard

**Size** 56 58 60  
**A** 56 57 60  
**B** 41 43 45  
**ED** 60 62 65



**Size** 53-18-145  
**Color** Black Crystal | Tortoise  
**Temple** Spring Hinge  
**Side Shields** Standard

**Size** 53  
**A** 53  
**B** 38  
**ED** 56



**Size** 57-18-126  
**Color** Gray/Clear | Blue/Clear | White/Orange | Black/Clear  
**Temple** Standard  
**Side Shields** Integrated

**Size** 57  
**A** 57  
**B** 36  
**ED** 59



**Size** 54-16-140 | 56-16-145  
**Color** Black Crystal | Brown Amber  
**Temple** Standard  
**Side Shields** Standard

**Size** 54 56  
**A** 54 56  
**B** 31 33  
**ED** 56 58



**Size** 51-19-135 | 53-19-140  
**Color** Olive | Tortoise  
**Temple** Spring Hinge  
**Side Shields** Standard

**Size** 51 53  
**A** 51 53  
**B** 31 33  
**ED** 53 56



**Size** 52-18-140 | 54-18-145  
**Color** Gold | Gunmetal  
**Temple** Standard  
**Side Shields** Standard

**Size** 52 54  
**A** 52 54  
**B** 37 39  
**ED** 55 58



## 2026 Prescription Safety Frame Group Guide

### Group C

**QUANTUM**  
SafeVision

Smoke Crystal  
Pink Crystal  
Red  
Blue  
Clear  
Black

**Size** 57-17-129  
**Color** Smoke Crystal | Pink Crystal | Red | Blue | Clear | Black  
**Temple** Standard  
**Side Shields** Integrated

**Size** 57  
**A** 57  
**B** 37  
**ED** 60

**Non-Conductive** **Tight Fitting**

**RAVN**  
PENTAX

Black & Orange  
Black & Grey  
Crystal & Dark Blue

**Includes lanyard**

**Size** 55-19-126  
**Color** Black & Orange | Black & Grey | Crystal & Dark Blue  
**Temple** Standard  
**Side Shields** Integrated

**Size** 55  
**A** 55  
**B** 38  
**ED** 61

**NEW**

**Tight Fitting**

**STREAK**  
SafeVision

Red  
Matte Black  
Silver

**Size** 63-18-122  
**Color** Matte Black | Silver | Red  
**Temple** Standard  
**Side Shields** Integrated

**Size** 63  
**A** 63  
**B** 36  
**ED** 66

**Rx limitations: -4.00 to +3.00 total power including a -3.00 cylinder Phoenix, Trivex & Poly Lenses ONLY**

**Non-Conductive** **Tight Fitting**

**SV20**  
SafeVision

Clear  
Purple  
Pink  
Black/Clear  
Brown

**Includes removable full-seal rubber gasket, foam dust bar & head strap**

**Size** 55-18-132  
**Color** Black/Clear | Purple | Clear | Brown | Pink  
**Temple** Standard  
**Side Shields** Integrated

**Size** 55  
**A** 55  
**B** 37  
**ED** 58

**Non-Conductive** **Tight Fitting**

**SV26**  
SafeVision

Turquoise/Orange  
Shiny Black  
Brown

**Includes removable full-seal rubber gasket, foam dust bar & head strap**

**Size** 57-20-124  
**Color** Turquoise/Orange | Shiny Black | Brown  
**Temple** Standard  
**Side Shields** Integrated

**Size** 57  
**A** 57  
**B** 37  
**ED** 62

**Tight Fitting**

**SVNY**  
SafeVision

Shiny Black/Blue  
Tortoise  
Matte Black

**Size** 62-16-111  
**Color** Shiny Black/Blue | Tortoise | Matte Black  
**Temple** Standard  
**Side Shields** Integrated

**Size** 62  
**A** 62  
**B** 35  
**ED** 66

**Rx limitations: -4.00 to +3.00 total power including a -3.00 cylinder Phoenix, Trivex & Poly Lenses ONLY**

**SVSS1**  
SafeVision

Brown/Red  
Black/Blue

**Size** 54-19-140  
**Color** Black/Blue | Brown/Red  
**Temple** Standard  
**Side Shields** Standard

**Size** 54  
**A** 54  
**B** 31  
**ED** 55

**SVSS11**  
SafeVision

Satin Silver  
Matte Brown

**Size** 57-18-140  
**Color** Satin Silver | Matte Brown  
**Temple** Standard  
**Side Shields** Standard

**Size** 57  
**A** 57  
**B** 35  
**ED** 59



## 2026 Prescription Safety Frame Group Guide

### Group C



**SVSS12**  
SafeVision



Matte Black

**Size** 54-18-140  
**Color** Matte Black | Antique Silver  
**Temple** Standard  
**Side Shields** Standard

**Size** 54  
**A** 54  
**B** 38  
**ED** 59



**SVSS14**  
SafeVision



Matte Silver

**Size** 54-18-140  
**Color** Matte Silver | Matte Blue  
**Temple** Standard  
**Side Shields** Standard

**Size** 54  
**A** 54  
**B** 39  
**ED** 57



**SVSS3**  
SafeVision



Gunmetal

**Size** 53-17-140  
**Color** Gunmetal | Antique Bronze  
**Temple** Standard  
**Side Shields** Standard

**Size** 53  
**A** 53  
**B** 34  
**ED** 55



**Non-Conductive** **Tight Fitting**

6 Base **V1000**  
**PENTAX**

Wine Fade



Jet

**Size** (6 Base) 52-18-130  
**Color** Wine Fade | Jet  
**Temple** Standard  
**Side Shields** Integrated

**Size** 52  
**A** 52  
**B** 30  
**ED** 54

Phoenix, Trivex & Poly Lenses ONLY



**Non-Conductive** **Tight Fitting**

8 Base **V1000**  
**PENTAX**

Jet



Wine Fade

**Size** (8 Base) 61-16-130  
**Color** Wine Fade | Jet  
**Temple** Standard  
**Side Shields** Integrated

**Size** 61  
**A** 61  
**B** 34  
**ED** 60

Rx limitations: Max combined power (sphere + cylinder) of + or - 4.00 ; including Max cyl power of + or - 2.00.

Phoenix, Trivex & Poly Lenses ONLY



**Non-Conductive** **Tight Fitting**

6 Base **ZT25**  
**PENTAX**

Camouflage



Matte Black

**Includes removable foam seal**  
**Size** (6 Base) 56-21-127  
**Color** Matte Black | Camouflage  
**Temple** Standard  
**Side Shields** Integrated

**Size** 56  
**A** 56  
**B** 32  
**ED** 58

Phoenix, Trivex & Poly Lenses ONLY



**Non-Conductive** **Tight Fitting**

8 Base **ZT25**  
**PENTAX**

Matte Black



Camouflage

**Includes removable foam seal**  
**Size** (8 Base) 61-19-127  
**Color** Matte Black | Camouflage  
**Temple** Standard  
**Side Shields** Integrated

**Size** 61  
**A** 61  
**B** 37  
**ED** 64

Rx limitations: Max combined power (sphere + cylinder) of + or - 4.00 ; including Max cyl power of + or - 2.00.

Phoenix, Trivex & Poly Lenses ONLY



ZT200



## 2026 Prescription Safety Frame Group Guide

### Group C

Non-Conductive

Tight Fitting

Gray/Yellow w/ Crystal Carrier



Includes removable foam dust bar & lanyard

Size 54-20-126

Color Black/Lime Green w/ Crystal or Smoke | Gray/Yellow w/ Crystal or Smoke | Blue w/ Crystal or Smoke | Purple w/ Crystal or Smoke | Camo w/ Crystal or Brown

Temple Standard

Side Shields Integrated



Black/Lime Green w/ Crystal Carrier



Black/Lime Green w/ Smoke Carrier



Blue w/ Crystal Carrier



Blue w/ Smoke Carrier



Camo w/ Crystal Carrier



Gray/Yellow w/ Smoke Carrier



Purple w/ Crystal Carrier



Purple w/ Smoke Carrier



Camo w/ Brown Carrier

**ZT200**  
PENTAX

Size 54

A 54

B 34

ED 56



ZT35

### Group D

Tight Fitting

Matte Tortoise



**BATTERY**  
SafeVision



Gloss Black



Matte Navy



Pearl/Orange

Size 65-16-120

Color Gloss Black | Matte Navy  
Matte Tortoise | Pearl/Orange

Temple Standard

Side Shields Integrated

Rx limitations: **-4.00 to +2.50 total power including a -3.00 cylinder**  
Phoenix, Trivex & Poly Lenses ONLY

Size 65

A 65

B 38

ED 67

Stainless Steel **CLASSIC 1**  
PENTAX

Brown



Silver

Size 50-15-130 | 52-15-135

Color Silver | Brown

Temple Spring Hinge

Side Shields Standard

Grooved Lenses REQUIRED  
Phoenix, Trivex & Poly Lenses ONLY

Size 50 52

A 50 52

B 33 35

ED 54 56

**CLASSIC 10**  
PENTAX

Black/Blue



Tortoise/Brown

Size 52-16-140

Color Black/Blue | Tortoise/Brown

Temple Standard

Side Shields Standard

Size 52

A 52

B 39

ED 56

**CLASSIC 11**  
PENTAX

Black front, Red Temples



Green Tortoise

Size 54-16-140

Color Black front, Red temples | Green Tortoise

Temple Standard

Side Shields Standard

Size 54

A 54

B 35

ED 57



## 2026 Prescription Safety Frame Group Guide

### Group D

#### CLASSIC 12 PENTAX



**Size** 53-17-135  
**Color** Brown Horn | Blue Marble  
**Temple** Standard  
**Side Shields** Standard

**Size** 53  
**A** 53  
**B** 38  
**ED** 57

*Brown Horn*

#### Stainless Steel DP600 PENTAX



**Size** 52-18-140 | 54-18-140  
**Color** Brown | Silver  
**Temple** Spring Hinge  
**Side Shields** Standard

**Size** 52 54  
**A** 52 54  
**B** 32 33  
**ED** 54 56

*Silver*

#### Stainless Steel DP610 PENTAX



**Size** 54-18-140 | 56-18-145  
**Color** Brown | Gray  
**Temple** Spring Hinge  
**Side Shields** Standard

**Size** 54 56  
**A** 54 56  
**B** 35 37  
**ED** 55 58

*Brown*

#### Stainless Steel DP620 PENTAX



**Size** 51-18-140 | 53-18-140  
**Color** Brown | Black  
**Temple** Spring Hinge  
**Side Shields** Standard

**Size** 51 53  
**A** 51 53  
**B** 32 33  
**ED** 53 55

*Brown*

#### DP720 PENTAX



**Size** 51-19-140 | 53-19-145  
**Color** Matte Grey | Matte Brown  
**Temple** Spring Hinge  
**Side Shields** Standard

**Size** 51 53  
**A** 51 53  
**B** 31 33  
**ED** 53 55

*Matte Brown*

#### DP820 PENTAX



**Size** 52-19-140 | 54-19-145  
**Color** Brown | Gunmetal  
**Temple** Spring Hinge  
**Side Shields** Standard

**Size** 52 54  
**A** 52 54  
**B** 33 35  
**ED** 52 54

*Gunmetal*

**Grooved Lenses REQUIRED**  
Phoenix, Trivex & Poly Lenses ONLY

**Non-Conductive**

**Tight Fitting**

*Black/Blue*

#### goggle GT20 PENTAX



**Includes removable Rx insert**  
**Size** 50-20-strap (Rx insert)  
**Color** Black/Blue  
**Temple** Head strap  
**Side Shields** Integrated

(Rx insert)  
**Size** 50  
**A** 50  
**B** 34  
**ED** 51

**Tight Fitting**

*Pearl Brown / Blue*

#### MISFIRE SafeVision



**Includes removable foam seal, rubber gasket & temples + temple replacement strap**  
**Size** 64-18-110  
**Color** Pearl Brown / Blue | Matte Gunmetal  
**Temple** Standard  
**Side Shields** Integrated

**Size** 64  
**A** 64  
**B** 41  
**ED** 70

**Rx limitations: -4.00 to +3.00 total**  
**power including a -3.00 cylinder**  
Phoenix, Trivex & Poly Lenses ONLY



## 2026 Prescription Safety Frame Group Guide

### Group D

Tight Fitting

**OAKLEAF**  
SafeVision

Matte Spider Web

Matte Black

Oakleaf Camo

Gloss Carbon Fiber

Matte Carbon Fiber

**Size** 60-24-124  
**Color** Matte Spider Web | Matte Black | Oakleaf Camo | Gloss Carbon Fiber | Matte Carbon Fiber  
**Temple** Standard  
**Side Shields** Integrated

**Rx limitations:** -4.00 to +3.00 total power including a -3.00 cylinder  
Phoenix, Trivex & Poly Lenses ONLY

**Size** 60  
**A** 60  
**B** 35  
**ED** 63

Tight Fitting

**RANGER**  
SafeVision

Crystal Blue

Matte Black

Crystal Brown

**Size** 62-18-121  
**Color** Matte Black | Crystal Blue | Crystal Brown  
**Temple** Standard  
**Side Shields** Integrated

**Rx limitations:** -4.00 to +3.00 total power including a -3.00 cylinder  
Phoenix, Trivex & Poly Lenses ONLY

**Size** 62  
**A** 62  
**B** 38  
**ED** 67

Non-Conductive

Tight Fitting

**ZT35**  
PENTAX

Camouflage

Shiny Black (Blue Trim)

Matte Gray (Black Trim)

**Includes removable rubber gasket & temples + temple replacement head strap**

**Size** 57-20-125  
**Color** Matte Gray (Black Trim) | Camouflage | Shiny Black (Blue Trim)  
**Temple** Standard removable  
**Side Shields** Integrated

**Size** 57  
**A** 57  
**B** 37  
**ED** 58

Non-Conductive

Tight Fitting

6 Base **ZT45**  
PENTAX

Black w/ Black Graffiti

Camouflage

Silver

**Includes removable foam seal**

**Size** (6 Base) 54-13-130  
**Color** Black w/ Black Graffiti | Camouflage | Silver  
**Temple** Standard  
**Side Shields** Integrated

**Phoenix, Trivex & Poly Lenses ONLY**

**Size** 54  
**A** 54  
**B** 32  
**ED** 56

Non-Conductive

Tight Fitting

8 Base **ZT45**  
PENTAX

Silver

Camouflage

Black w/ Black Graffiti

**Includes removable foam seal**

**Size** (8 Base) 63-13-130  
**Color** Black w/ Black Graffiti | Silver | Camo  
**Temple** Standard  
**Side Shields** Integrated

**Rx limitations:** Max combined power (sphere+cylinder) of + or - 4.00 ; including Max cyl power of + or - 2.00.  
Phoenix, Trivex & Poly Lenses ONLY

**Size** 63  
**A** 63  
**B** 37  
**ED** 66

Non-Conductive

Tight Fitting

**ZT55**  
PENTAX

Crystal w/ Orange Trim

Charcoal

Crystal w/ Gray Trim

**Includes removable foam seal**

**Size** 57-17-130  
**Color** Charcoal | Crystal w/ Gray Trim | Crystal w/ Orange Trim  
**Temple** Standard with flex tip  
**Side Shields** Integrated

**Phoenix, Trivex & Poly Lenses ONLY**

**Size** 57  
**A** 57  
**B** 36  
**ED** 60

Non-Conductive

Tight Fitting

**ZT400**  
PENTAX

Navy w/ Clear Carrier

Black w/ Clear Carrier

Black w/ Smoke Carrier

Tan w/ Clear Carrier

Tan w/ Brown Carrier

Navy w/ Smoke Carrier

Charcoal w/ Clear Carrier

Charcoal w/ Smoke Carrier

**Includes removable foam seal & head Strap**

**Size** 57-15-133  
**Color** Tan w/ Brown or Clear | Black w/ Smoke or Clear | Charcoal w/ Smoke or Clear | Navy w/ Smoke or Clear  
**Temple** Standard with flex tip  
**Side Shields** Integrated

**Phoenix, Trivex & Poly Lenses ONLY**

**Size** 57  
**A** 57  
**B** 34  
**ED** 58



## 2026 Prescription Safety Frame Group Guide

### Group E



#### ATTITUDE 7

PENTAX

Matte Copper

Gunmetal

NEW

**Size** 56-17-140 | 58-17-140  
**Colour** Matte Copper | Gunmetal  
**Temple** Standard  
**Side Shields** Integrated

Grooved Lenses **REQUIRED**  
Phoenix, Trivex & Poly Lenses **ONLY**

**Size** 56 58  
**A** 56 58  
**B** 37 39  
**ED** 59 61



#### CLASSIC 4

PENTAX

Black

Tortoise

**Size** 52-19-140 | 55-19-145  
**Color** Black | Tortoise  
**Temple** Spring Hinge  
**Side Shields** Standard

**Size** 52 55  
**A** 52 55  
**B** 33 36  
**ED** 55 58

Non-Conductive



#### CLASSIC 56

PENTAX

Demi

Gloss Black

Matte Tortoise

**Size** 55-17-137  
**Color** Gloss Black | Gloss Demi | Matte Tortoise  
**Temple** Standard  
**Side Shields** Integrated

**Size** 55  
**A** 55  
**B** 40  
**ED** 57

Non-Conductive

Tight Fitting



#### MAXIM AIR SEAL

PENTAX

Black

**Includes air bladder seal, removable temples & temple replacement head strap**  
**Size** 53-26-140  
**Color** Black  
**Temple** Standard removable  
**Side Shields** Integrated

Phoenix, Trivex & Poly Lenses **ONLY**

**Size** 53  
**A** 53  
**B** 39  
**ED** 60



#### STEEL 400

PENTAX

Gray Matte/Brown Matte

Brown Matte / Silver Matte

**Size** 49-19-140 | 51-19-145  
**Color** Gray Matte/Brown Matte | Brown Matte/Silver Matte  
**Temple** Spring Hinge  
**Side Shields** Standard

**Size** 49 51  
**A** 49 51  
**B** 34 36  
**ED** 53 54

Non-Conductive

Tight Fitting



#### ZT500

PENTAX

Red

**Includes removable head strap**  
**Size** 58-18-131  
**Color** Blue | Red  
**Temple** Standard  
**Side Shields** Integrated

**Size** 58  
**A** 58  
**B** 38  
**ED** 64

Non-Conductive

Tight Fitting



#### ZT500G

PENTAX

Blue

Red

**Includes removable rubber gasket & head strap**  
**Size** 58-18-131  
**Color** Blue | Red  
**Temple** Standard  
**Side Shields** Integrated

**Size** 58  
**A** 58  
**B** 38  
**ED** 64



ZT500



## 2026 Prescription Safety Frame Group Guide

### Group F

#### Stainless Steel **ATTITUDE 5** PENTAX



**Size** 54-18-140  
**Color** Matte-Gray front, Silver Temples | Matte-Brown front, Tortoise Temples  
**Temple** Spring Hinge  
**Side Shields** Standard

**Size** 54  
**A** 54  
**B** 30  
**ED** 55

#### Stainless Steel **ATTITUDE 6** PENTAX



**Size** 48-16-130  
**Color** Matte-Brown front, Ocean Temples | Matte-Violet front, Pink Temples  
**Temple** Spring Hinge  
**Side Shields** Standard

**Size** 48  
**A** 48  
**B** 27  
**ED** 49

#### Stainless Steel **REBEL** PENTAX



**Size** 56-17-135  
**Color** Navy Blue | Gunmetal  
**Temple** Spring Hinge  
**Side Shields** Standard | Steel Shield

**Size** 56  
**A** 56  
**B** 35  
**ED** 58

Tight Fitting



**Size** 72-14-120  
**Color** Camo/Orange | Matte Gray  
**Temple** Standard  
**Side Shields** Integrated

**Size** 72  
**A** 72  
**B** 39  
**ED** 72

Rx limitations: -3.00 to +2.50 total power including a -3.00 cylinder  
 Single Vision & Progressives ONLY  
 Poly Lenses ONLY

Tight Fitting

#### **SVSR5** SafeVision



**Size** 75-14-120  
**Color** Shiny Carbon | Matte Spider Web  
**Temple** Standard  
**Side Shields** Integrated

**Size** 75  
**A** 75  
**B** 39  
**ED** 72

Rx limitations: -3.00 to +2.50 total power including a -3.00 cylinder  
 Single Vision & Progressives ONLY  
 Poly Lenses ONLY

#### **SVTI1** SafeVision



**Size** 54-17-140  
**Color** Gunmetal | Antique Bronze  
**Temple** Standard  
**Side Shields** Standard

**Size** 54  
**A** 54  
**B** 37  
**ED** 56

#### **SVTI1** SafeVision



**Size** 54-19-140  
**Color** Antique Gold | Matte Gray  
**Temple** Standard  
**Side Shields** Standard

**Size** 54  
**A** 54  
**B** 33  
**ED** 57

#### Stainless Steel **TRX** PENTAX



**Size** 57-17-135 | 59-17-140  
**Color** Black | Silver  
**Temple** Spring Hinge  
**Side Shields** Standard | Steel Shield

**Size** 57 59  
**A** 57 59  
**B** 33 36  
**ED** 60 62



## 2026 Prescription Safety Frame Group Guide

### Group F



**Size** 57-16-140  
**Color** Black | Bronze  
**Temple** Spring Hinge  
**Side Shields** Standard

**Size** 57  
**A** 57  
**B** 33  
**ED** 60



**Size** 55-18-140  
**Color** Matte Black | Brown  
**Temple** Spring Hinge  
**Side Shields** Standard

**Size** 55  
**A** 55  
**B** 32  
**ED** 55

### Group G



**Size** 52-18-135 | 54-18-140  
**Color** Moss/Dark Gunmetal | Burgundy/Silver  
**Temple** Spring Hinge  
**Side Shields** Standard

**Size** 52 54  
**A** 52 54  
**B** 34 35  
**ED** 54 56

Grooved Lenses **REQUIRED**  
Phoenix, Trivex & Poly Lenses **ONLY**



**Size** 53-18-135  
**Color** Blue/Silver | Black/Silver  
**Temple** Spring Hinge  
**Side Shields** Standard

**Size** 53  
**A** 53  
**B** 33  
**ED** 54

Phoenix, Trivex & Poly Lenses **ONLY**

All Wiley X safety frames are included in Group G

# WILEY X

(see separate WX guide)



#### Standard

- Made from high-impact polycarbonate
- Available in clear or gray
- Detachable



#### Breeze Catcher

(F9800, F9900 & F6000 only)

- Wire mesh design provides ventilation and helps reduce fogging
- Oxidized, corrosion resistant wire mesh
- Full-cup design
- Tighter-weave 40 mesh
- Permanently attached



#### Perforated Full-Cup

(F9800 & F9900 only)

- Made from propionate
- Perforated design helps reduce fogging
- Permanently attached



#### Steel Shield

(TRX & Rebel only)

- Made of stainless steel
- Colors to match frame
- Oxidation & corrosion resistant
- Provides ventilation and helps reduce fogging
- Detachable